

## DEVELOPMENT AND TESTING OF RF DOUBLE WINDOW INPUT COUPLERS FOR TESLA\*

W. D. Moeller, DESY, Notkestrasse 85, D-22607 Hamburg, Germany

Q. S. Shu<sup>#</sup>, J. T. Susta, G. Cheng, AMAC International Inc., Newport News, VA 23606, U.S.A.

T. A. Treado, S. Einarson, Communications & Power Industries, Beverly, MA 01915, U. S. A.

D. Proch, D. Kostin, DESY, Notkestrasse 85, D-22607 Hamburg, Germany

T. Garvey, Laboratoire de l'Accélérateur Linéaire, 91898 Orsay Cedex, France.

### Abstract

More and more accelerators are built with superconducting cavities operating at cryogenic temperatures. A possible window failure might result in contamination of the cavity surface and degrade the accelerating performance. A cost effective design and fabrication method for a new coupler has been developed by AMAC and CPI. This new design is an alternative to the present TESLA cylindrical ceramic windows layout. The new design includes two planar disc windows separated by a vacuum space. An alternative design option proposes filling dry nitrogen gas in between the two ceramic windows. Furthermore the new design is optimized for RF input power, taking into consideration the possible requirements of the TESLA superstructure layout. Two prototype couplers with this design have been fabricated. The couplers are being tested on the high power test stand at DESY, Germany. This paper describes the new coupler design and discusses the first measured results.

### INTRODUCTION

A window failure allowing the inrush of atmospheric air into the superconducting cavities could potentially degrade the performance of extensive sections of the accelerator. The consequent disassembly of the cryostats and other accelerator components for repairs is viewed as a disastrous event because of the time and resources required. The main specification parameters for the TESLA superstructure coupler are:

Frequency: 1.3 GHz

Forward Power for TESLA upgrade: 1110 kW

Pulse length: 1.3 ms

Repetition rate: 5 Hz

Cryogenic losses: 12 W max at 70K, 1 W max at 4K, 0.12 W at 2K.

Movement of 1.5mm in cavity axis direction

DC bias up to 4 kV

High pumping speed for the space between ceramic windows.

The window closer to the cavity must be assembled on the cavity in the clean room. The flange connection to the outer part of the coupler must be located at a maximum distance of 10.95" from the cavity centerline, to allow

insertion of the cavity assembly into the cryostat. Other aspects of the design were also considered [1].

### RF DESIGN

The RF calculations and optimization were performed by AMAC using the HFSS finite analysis code. A tolerance analysis was performed to determine the critical dimensions. The design of the transition regions at the ceramic windows needed to compensate for the effect of the ceramic window insertion was based on the successful AMAC-2 prototype for the SNS project [2]. The chokeless RF geometry [2] allows for easier fabrication and better cleaning of the surfaces as compared with the traditional choke design.

The multipacting properties for the coupler window sections were calculated at DESY with a program that tracks electron trajectories in the electromagnetic fields [3]. The vacuum exposed surfaces of the windows are coated with Titanium Nitride (TiN) using the evaporative method (in place of sputtering).

A high DC voltage bias of up to 4.5kV can be applied to the inner conductor of the coupler. Secondary Electron Emission Tests were performed at DESY [4] on samples provided by AMAC/CPI to determine the secondary emission coefficients for surfaces with the same brazing materials used in the fabrication of the couplers. Au – Cu brazing material shows a reduced conditioning time.

- The AMAC coupler design is free of multipacting trajectories in the regime of the specified power.
- The window surface shows short living multipacting trajectories, TESLA coupler in Fig. 1.

### THERMAL DESIGN

The thermal calculations were performed by AMAC with the help of the ANSYS program and used material properties data [5-6] in algorithms developed at DESY [5] and AMAC, to take into account the temperature and the respective thermal conductivity and electrical losses after the final brazing [7]. The thermal conductivity values at different temperatures for the aluminum oxide for the ceramic windows were taken from [8].

The expected RRR values after brazing were taken from tests results obtained at DESY [7, 9] which take into account a series of Ni strike and copper plating thickness, and several heat treatment temperatures. The materials, parts dimensions, and materials combinations used for this TESLA couplers design were varied until the required

\*Work supported by US DOE grant No. DE-FG02-00ER86102.

<sup>#</sup>qsshu@amacintl.com

thermal performance was obtained. For example, the inner conductor uses OFHC 1 to 2.3mm copper tubing to remove the dissipated power with a minimum temperature gradient over the length of the antenna, but the 0.13 copper plated bellows at the ends are optimized to meet the specified maximum heat transfer to the heat sinks by varying the number of convolutions. The warm outer conductor is made of 1.5mm stainless steel tubing and 0.15mm wall thickness bellows. The cold window assembly has a reduced wall thickness of 1mm to compensate for the proximity between the 70K and 4K sinks. The RRR values for the copper plating degrade after brazing, and therefore the design was optimized for RRR values obtainable after brazing, to avoid the necessity of performing electron beam welding operations. A copper plating thickness of 0.02mm and 0.01mm was used for the stainless parts on the inner and outer conductor respectively for the RF carrying surfaces.




Figure 1: General assembly of TESLA coupler developed by AMAC and fabricated by CPI

## COOLING

The 7.2 kW average power level specified results in moderate temperature gradients in the ceramic as shown in the thermal calculations. These results allow the use of conductive cooling to ambient temperature and to the cold intercepts at 4K and 70K. This was achieved by material choice and dimensional optimization to meet the heat loss requirements to the 2K, 4 K and 70K stations.

## VACUUM

High vacuum in the low  $10^{-9}$  torr range has to be maintained in the space between the two ceramic windows to avoid multipacting during RF operation. This requires adequate pumping capacity and good conditioning of all the surfaces exposed to the vacuum.

All improvements in the pumping capacity yield only improvements of less than one order of magnitude due to the geometric conductance limitation. To reduce the gas load of the coupler, all stainless steel parts will be degassed prior to brazing at 600°C. This reduces the hydrogen degassing of the bulk material by an order of magnitude [10] or more.

## COUPLERS CONDITIONING

The coupler RF test was done in a way it is done for TTF couplers at DESY [11-13]. The couplers parts were assembled on the test stand (Fig. 2) in such a way that RF power transmission through the couplers pair is maximized. Couplers diagnostics is based on the different types of sensors: vacuum gauges, charged particles (e-) and spark detectors and temperature sensors. Each warm part was connected to two ion getter pumps (IGP) having pumping speed of 60 l/s through 150 mm tubes with diameter of 60 mm ensuring the high effective pumping speed. The cold parts mounted on the test waveguide box were pumped out using one IGP. RF power source was Thales 5MW pulsed power 1.3 GHz klystron.




Figure 2: Couplers on the test stand.

### Conditioning Procedure

The milestones:

- Baking at 150°C. Temperature is reached within 24 hours and is kept for 24 hours. Vacuum pressure of  $10^{-9}$  mbar is reached.
- RF power conditioning is done in travelling wave regime at 2 Hz rep.rate with different pulse lengths from 20 to 1300  $\mu$ s. The maximum power level reached is 1MW. The power rise is limited by the different thresholds, set for the coupler vacuum and e- in the coupler vacuum, as well as for the ceramics temperatures.
- RF power sweep 50..500 kW for 1.3 ms pulse.

### Conditioning Results

Total RF power rise time was 44 hours, total RF ON conditioning time was 56 hours, after conditioning standard power sweep done for 40 hours showing almost no activity. Average conditioning time for the TTF3 type couplers at DESY is 60..130 hours (Fig. 3).

At the long pulse lengths there was sparking in the coupler waveguide part caused by isolation kapton foil RF breakdown near the doorknob. Rounding of the sharp edges of the inner conductor holding eliminated this.

After the coupler conditioning was completed the bias program was started. No multipacting was observed after




Figure 3: Couplers conditioning times: TTF3 and AMAC.

couplers were conditioned without bias high voltage. The test was done for voltages +500V, -500V, +1000V, -1000V. Some multipacting levels were found at +500V. For -500V some short couplers conditioning was needed before 500kW at 1.3ms pulse could be reached, no multipacting after that. +1000V went just smooth without anything to report. Testing the coupler with Bias HV value of -1000V caused some events and strong deterioration of the performance of the coupler number 2, the input coupler on the test stand. New conditioning without bias afterwards was unsuccessful. Now upon reaching of 400kW at 20 µs pulse length the RF power was reflected from the coupler, with signs of discharge plasma in the coupler. After disassembly of the test stand the coupler was inspected and showed some surface damages from sparking in the region between the window and the pumping slits. No damage was observed at the windows. The damaged coupler part was cleaned using citric acid and will be retested.

### REFERENCES

[1] Q. S. Shu, J. T. Susta, G. Cheng, T. A. Treado, S. Einarson, D. Proch, W. D. Moeller, T. Garvey, "High Power Coupler for the TESLA Superstructure Cavities," paper no. TPPT051, to appear in Proceedings of the IEEE Particle Accelerator Conference, 2005.  
 [2] Q. S. Shu, et. al., "Design, Fabrication and Testing of Novel High Power RF Input Couplers," Proc. of

Workshop on High-Power Couplers for Superconducting Accelerators, Jefferson Lab, Newport News, VA, October 30 - November 1, 2002.  
 [3] E. Simersalo, P. Ylä-Oijala, and D. Proch, "Analysis of Multipacting in Coaxial Lines," in Proceedings of the IEEE Particle Accelerator Conference, Vol. 3, 1995, pp. 1500-1502.  
 [4] A. Brinkmann Measurements and D. Proch Summary, June 28, 2004, DESY, Germany.  
 [5] Data provided by D. Gall and H. Lierl, DESY, Germany.  
 [6] Data provided by Vincent Arp, Cryodata Inc., Littleton, Colorado.  
 [7] W. Singer and B. Dwersteg, "Influence of Heat Treatment on Thin Electrodeposited Cu Layers," DESY, Germany.  
 [8] T. Nemoto, S. Sasaki, and Y. Hakuraku, "Thermal conductivity of alumina and silicon carbide ceramic at low temperatures," Cryogenics, Vol. 25, No. 9, 1985, pp. 531-532.  
 [9] Data provided by X. Singer, DESY, Germany.  
 [10] M. Seidel, "Coupler Processing – Vacuum Aspects," presentation on November 20, 2003, DESY, Germany.  
 [11] W. D. Moeller for the TESLA Collaboration, "High Power Coupler for the TESLA Test Facility," 9th Workshop on RF Superconductivity, 1999, Los Alamos National Lab, USA.