# An Endstation with Cryogenic Coils Contributing to a 0.5 Tesla Field and 30-400K Sample Thermal Control




**Presented by Gregory Scharfstein**

Mechanical Engineer, Engineering Division


15 Sep 2016


ALS Contributors: Sujoy Roy, Tom Miller, John Pepper, Diego Arbelaez, Jin-Young Jung



ALS ADVANCED LIGHT SOURCE

BERKELEY LAB

U.S. DEPARTMENT OF ENERGY | Office of Science

# Outline

- Introduction to the Endstation
- Magnetic System
  - Mechanical Design
  - Magnet Design and Analysis
  - Current Status
- Sample Thermal Control
  - Mechanical and Thermal Design
  - Current Status

# Acknowledgements


- The Advanced Light Source and this work are supported by the Director, Office of Science, Office of Basic Energy Sciences, Division of Materials Sciences and the Division of Chemical Sciences, Geosciences, and Biosciences of the U.S. Department of Energy at Lawrence Berkeley National Laboratory under Contract No. DE-AC03-76SF00098.
- Engineering Division at LBNL
- All Staff that support the ALS
- The COSMIC Scattering Endstation Team







# COSMIC Scattering Endstation

- COherent Scattering and MICroscopy: 260 – 1600 ev [4.7686 – 0.7749 nm]
- X-ray Photon Correlation Spectroscopy (XPCS), which is a method to study temperature fluctuation in hard and soft condensed matter systems.
- Diffuse scattering due to coherent x-rays give rise to speckles due to the interference of scattered wave fronts that are randomly phase shifted by the morphology of the sample.
- Any change in the surface morphology causes a subsequent change in the speckle pattern. By monitoring the speckle pattern over time at a particular temperature and/or magnetic (electric) field it is possible to determine the temporal evolution of the surface features.
- For example, in a magnetic system the use of resonantly tuned coherent x-ray gives magnetic speckles which are representative of the exact lateral magnetic heterogeneity (i.e. domains).
- XPCS in a magnetic system therefore gives information about how domains fluctuate as the system goes through a phase transition.



# Experimental Assembly

- Sample Manipulation and Pinhole Assemblies fit within the Magnetic System, on top of the Optical Bench
- The Magnetic System is mounted to the chamber and must be removable






# Magnetic System Mechanical Design

- Iron Dominated Magnet, LN2-cooled Coils
- Vanadium permendur poles (4 poles) are used to maximize field
- Pole geometry is optimized to reduce saturation (taper) within geometric constraint envelope







**A cross section of the pole-coil assembly is shown above. The 5000 ampere-turn coil is enclosed within a 304 SS welded can designed to hold liquid nitrogen. This cooling enables the field strength at the sample with 18A at 2.85 V running through each coil.**

BERKELEY LAB

ALS

# Magnetic System: Power Configuration

- Using two power supplies (with opposing coils powered in series) the field orientation can be rotated in the X-Z plane








# Analysis of Flux at the Sample

- Optimized for maximum magnetic field within the constrained space that allows for sample manipulation and cooling and line of sight to the rotating detector
- Using two power supplies (with opposing coils powered in series) the field orientation can be rotated in a plane



# Magnet System Status

- Analysis is complete
- Proof of Concept Test is complete
- Production assembly by end of December 2016
- Production test by end of February 2017










# Sample Thermal Control: 30K – 400K

- Cooling is enabled by a coaxial flow cryostat that is attached to a trunnion that rotates the sample.
- Requirements call for a short cryostat design which is accomplished with a serpentine path for the exhaust.
- The unique helium exhaust transition employs automatic thermal control to ensure an ice-free feed through.



# Cryostat Design



# Cryostat-Sample Cross Section

- Copper braids used to allow sample motion
- Copper to copper/glidcop interfaces are TIG welded
- Stainless steel to glidcop interfaces are silver soldered





# Sample Thermal Control Status

- Cryostat is complete
- Cold Tests
  - Cold Finger at 5K; Sample at 13.9K
  - Closed-cycle Cryocooler, cold finger at 7K
- Complete design of trunnion by end of September 2016
- Production assembly by end of December 2016
- Production test by end of February 2017



BERKELEY LAB

ALS

# Clever Diagnostics

- Alignment Microscope to see pinhole and sample
- Borescope to witness automatic sample transfer





ALS

BERKELEY LAB

# Thank you!

Questions / Comments

Gregg Scharfstein
gascharfstein@lbl.gov