

INDUCTION LINEAR ACCELERATORS FOR PHYSICS DIAGNOSTICS

Henry L. Rutkowski and William A. Barletta
Lawrence Berkeley National Laboratory
University of California - Berkeley

Abstract

The short pulse, very high current capabilities of the induction linear accelerator make it a logical candidate for certain applications to diagnosing physical properties. Two examples are fast high density explosive experiments and material science using neutron scattering. Flash x-rays are needed for imaging high density metal compression experiments. The short (50-75ns) pulse-burst capabilities of the induction linac are well suited to this. Because high x-rays doses are necessary to image the experiment and characterize density variations the multi-kiloampere capabilities of induction machines are attractive. Short neutron pulses from proton induced spallation can provide excellent energy and time resolution in material studies using neutron scattering. The induction linac simplifies spallation sources by transporting and accelerating the total beam current necessary (amperes of H^+) in a single beam with no storage. Concepts for both applications are discussed with emphasis on technical risks and costs.

Introduction

Induction linear accelerators have properties that make them valuable in physics diagnostics applications. These properties are the ability to accelerate very intense beams and the ability to generate discrete short pulses. The two applications discussed here are the use of proton beams to generate spallation neutrons for material science, chemistry, and biology and the use of short high current electron pulses for fast time resolved radiography of dense rapidly moving objects. Induction linacs can accelerate any beam current that the transport system is capable of handling provided that the pulser that drives the accelerator cells can supply the required current. This is because induction accelerators do not suffer from the cavity loading effects that occur in RF machines. However, fast rep rate pulse power systems have design problems of their own, such as switch and component lifetime, and cost.

In the application of such machines to a spallation neutron source, the main advantage is that one can accelerate the entire beam current required on the spallation target in a single pass thus eliminating the need for a storage ring. Not using a ring eliminates the need for H^+ ion sources which are a more complex and a lower current density technology than H^- sources. The absence of a ring also avoids the problems associated with stripper foils and excited neutrals. By extracting the required short pulse directly in the injector one avoids the beam chopping problems of RF machines. Finally, since the physics limit placed on the beam emittance in an induction machine comes from the final focus conditions, the ion temperature of the source is not a limiting factor. The very low emittance required for injection into a ring is small compared to the emittance limit

imposed by final focusing in this application.

Radiography of fast moving dense objects needs multiple pulses separated slightly in time and possibly simultaneously from more than one direction to obtain 3D imaging of the object. Such a project is underway at Los Alamos National Laboratory called DARHT (Dual Axis Radiographic Hydro-Dynamic Test facility). The physics requirements for this application are quite severe: beam current of 4-6KA, beam energy up to 20MeV, focal spot < 1 mm, 4 pulse burst with 50-70ns pulse length and 250ns pulse separation. Induction linac cells designed for long pulse applications may be useful for this radiography application.

Spallation Neutron Source

The first point is bunch dynamics in the machine. The simplest approach is to accelerate a bunch as a rigid body relying on acceleration to provide both current amplification and pulse shortening. One can also vary bunch lengths by varying the velocity along the bunch as a means to reduce the length of the machine. Designing for short length can reduce costs, but the limits on acceleration gradient may prevent this. Consider accelerating the head of the bunch according to a Z schedule, where Z is the distance along the machine, and accelerating the tail on a linear schedule. Now assume that the output beam has an energy of 1.25 GeV, a current of 57.5A, a pulse width of 580 ns, and a rep rate of 60 Hz. These conditions correspond to a steady state output power of 2.5 MW, reflecting the initial goal of the NSNS (National Spallation Neutron Source) design team for a machine between 1 and 5MW average power. Also assume a 2MeV proton injector generating 8 μ s, 4.2 A pulses, parameters achievable with technology developed in the LBNL Heavy Ion Fusion Accelerator Research program. The injection parameters come from imposing the condition that geometric length of the bunch is the same during its entry into the accelerator as during its exit. Inside the accelerator the bunch expands longitudinally before recompressing to its original length. Solving the relativistic equations of motion for the head and the tail with the entry and exit conditions listed above, yields a machine length of 1761m plus the length of the injector which might be 15m. There are two problems with this approach. First, the linear charge density in the bunch is 0.213 μ coul/m which is very low in terms of the transport limits that can be achieved in quadrupole or solenoid magnetic fields. More importantly, the peak accelerating gradient reaches 1.42MeV/m for the head and the linear gradient for the tail is 0.71MeV/m. Figures commonly used for the technologically achievable gradient range from 1MeV/m and to a more realistic 0.5MeV/m.

Assume a more practical acceleration gradient of 0.5 MeV/m and use a higher linear charge density that makes more efficient use of transport capabilities. Making the beam diameter small also reduces the mass of core material

for a given number of volt-seconds (pulse voltage times pulse duration) and a given core length. In this case the beam bunch enters the accelerator completely before the acceleration cells are turned on. The entire bunch is then accelerated at the same rate and therefore the bunch length remains constant through the machine. E.P. Lee has developed an envelope equation model to calculate the space charge transport limit for a given quadrupole focusing channel. This analytical model incorporates consistent expansions in KL where K is the quadrupole strength and L is the lattice half period and gives errors less than 2%. From the equations one can derive an expression for the quadrupole magnetic field gradient in terms of the linear space charge density, λ , the beam maximum radius, a , the normalized emittance, ϵ_N , and the relativistic constants, β and γ :

$$B' = \frac{650.6\lambda}{\beta\gamma^2 a^2} \left[.9859 - \frac{.3043}{1 - (11.24\lambda a^2 / \gamma\epsilon_N)} \right] \quad (1)$$

Using this expression one finds that it is feasible to triple the linear charge density to 0.639 $\mu\text{coul/m}$. The injection bunch length is reduced from 157m to 52.3m. The resulting higher injector current is not a problem. One can transport this bunch within a maximum radius of 1.5cm in a quad system with pole tip field .77T and bore radius of 4cm. The effects of quad length and the bore size on aberrations present no problem. The resulting accelerator is 2548m long plus the 2MeV injector and produces 200ns pulses at 60Hz with an average power of 2.5MW. The accelerating cells are 250KV each, using Metglas as the core material; there are 4992 of them in the main accelerator and 105 in the bunch entry section just after the injector.

This design was costed using scaling rules and experience from the Heavy Ion Fusion and RTA programs. The result was a total accelerator system cost of \$542.7M including all design, assembly, and commissioning labor and overhead. A permanent magnet quadrupole transport system was assumed to minimize core inner radius relative to room temperature or superconducting systems. Dropping the exit energy from 1.25GeV to 1GeV, eliminates 500m of accelerator length at the cost of dropping to 2MW average power but with a financial saving of \$85.1M. The exit pulse length remains essentially the same. This cost must be viewed with considerable caution. The design was a first cut point design. Second, "rule of thumb" scaling laws based on various peoples' experience were used and the bias was toward conservatism. A more detailed design is needed to achieve reliable costs with computerized cost models. The transport system represents \$87M but is based on an unoptimized constant period configuration. Substantial saving could result from better design. The cooling budget is \$78.4M and probably could be reduced by better design.

In addition to the cost uncertainties there is technical risk. The issue of getting the 12.5A proton current out of the ion source with suitably low emittance for target focussing is not a problem. However fast pulse extraction preserving good beam optics from the gas source is. Recent work at LBNL on source beam chopping may provide the solution

to this problem but experimental work is needed. Another risk is the lifetime and reliability of the pulse power components. Operation at 60Hz for 24 hrs/day and 80% up time implies 1.5×10^7 pulses per year. Life tests at LBNL using FET switches have reached 2.5×10^7 pulses at 72Hz on a nickel-iron core and 2×10^7 pulses at 100Hz on Metglas both with convective air cooling. The systems were still operational at conclusion. Further experimental work especially on cheaper thyatron switches is needed to reduce risk and to define cooling requirements better. The beam clearances used were based on theoretical models used in the Heavy Ion Fusion program in which beam halo was not a consideration. This problem needs further study to better define the clearance requirements which in turn affect the cost of the magnets and cores. Finally, at short pulse lengths ($< 0.5 \mu\text{s}$), the power loss in Metglas cores grows quickly. Consideration should be given to ferrite materials which cost more but which would reduce cooling requirements and operational costs.

Fast X-ray Metallic Objects of Dense Radiography

Long pulse induction linac technology under development for heavy ion inertial fusion may be suitable for the radiography application. A gated cathode of some type, either electronically or laser switched, could supply a train of pulses to the accelerator. The pulse duration and separation would be governed by the cathode system while the voltage that accelerates the beam would be on throughout the burst. The two most important problems in the linac design are the accelerator cell voltage flatness and the transverse mode impedance of the cell. Other physics issues include especially the interaction between the intense beam and the bremsstrahlung target, corkscrew motion of the focal spot due to beam energy variations, and emittance growth.

An induction linac cell is normally designed to operate with a pulser that is matched to a specific beam load. If the beam is not present while the voltage is on, an overvoltage condition on the acceleration gap and the cell insulator will be created. One way to deal with this problem is the use of a compensation resistor in the pulser circuit. The pulser then sees the core magnetization current, the beam current, the compensation resistor current, and the gap capacitance all in parallel. If one dominates the loading with the compensation resistor the system efficiency will be low but in a testing application like this, efficiency is not important. In this concept one is deliberately creating a beam on-beam off situation and therefore much attention needs to be devoted to this problem. Not only is it a high voltage design problem but also a beam chromaticity issue. If the accelerating voltage is not at its nominal value when a bunch arrives, the change in beam energy will contribute to transverse motion of the focal spot which reduces the geometric resolution of the radiography system.

Another approach is driving a large core, containing sufficient volt-seconds to accommodate the number of beam pulses required, with separate pulsers that are electrically isolated from each other. There are two ways of isolating the pulsers. One is diodes and the other is to use a switch

capable of holding off the acceleration gap voltage in the back direction. In the case of diodes the problem is to provide enough back voltage isolation to withstand the full acceleration gap voltage of possibly 250KV. Also the diodes must be capable of handling the full discharge power in the forward direction. It is probably easier to use high voltage switches such as thyratrons or spark gaps. This approach has the disadvantage of requiring multiple pulsers which represent extra cost, but the advantages are avoiding the load matching problem and allowing the use of less Metglas by not maintaining voltage during periods when the beam is absent. A third possibility is the use of branch magnetics to drive the core without resetting between pulses.

The beam breakup (BBU) instability in linear accelerators is driven by coupling between longitudinal beam motion and the excitation of transverse modes in the acceleration cavity. The BBU parameters for the existing DARHT first axis cells have been thoroughly studied. Changing to a new cell design will require detailed computer simulation to understand the precise properties of the new cavities. A code such as AMOS will have to be modified to include the properties of Metglas for the calculation of the transverse impedances of the new cavities.

In the modeling of BBU the parameter⁶

$$\omega_0 \frac{Z_{\perp}}{Q_{\perp}} (Q_{\perp}), \quad (2)$$

where Z_{\perp} is the transverse mode impedance of the dominant transverse mode and Q_{\perp} has the value for this mode, is an important quantity in the growth rate for the instability. It is therefore important to consider how this factor will change if one makes simple changes in the existing cavity by changing the ferromagnetic material. Consider a simple cylindrical cavity in which one first has ferrite suitable for 70ns pulses and then replaces it with Metglas for 1μs constant voltage pulses. The total mass and therefore the cost of the core depends on the inside radius, the core length and the required cross section. If a length of the cavity has been chosen by system considerations the core cross section is determined by $\Delta B(r_0 - r_i) d = V_p \tau$ where V_p is the gap voltage, τ is the effective pulse length, and ΔB is the total flux swing before saturation allowed by the ferromagnetic material. The question is what happens to the quantity Z_{\perp} / Q_{\perp} while the outside radius r_0 is changed to accommodate the change in material and the change in τ while keeping d and r_i fixed. Therefore $r_0 = (V_p \tau / \Delta B d) + r_i$.

A single pill box model⁸ of an induction cell cavity has a transverse mode impedance estimated by

$$Z_{\perp} = \frac{-8d}{\omega_0 r_i^2} \text{Im} P_1(\omega_0), \quad (3)$$

where $P_1(\omega_0)$ is a function determined by d , r_i , and the ratio of assumed wall impedance at the outside radius r_0 to the impedance of free space. If one only increases or decreases the cavity radius then

$$\omega_0 \left(\frac{Z_{\perp}}{Q_{\perp}} \right) Q_{\perp} \approx \frac{8d}{r_i^2}, \quad (4)$$

For a given current, machine length, number of cells, beam noise spectrum, acceleration gap, and pipe radius the BBU growth rate should not change. This is because it is not the cavity in which the ferromagnetic material for the cell is contained that determines the Z_{\perp} of interest but rather the cavity that contains the acceleration gap. This gap will probably not have a simple cylindrical shape and transverse mode damping structures will be included in the cavity.

The resonant frequency of a radial cavity transverse mode is

$$\omega_{ln0} = \frac{cx_n}{r_0} \text{ where } x_n, \quad (5)$$

is a constant dependent on the mode number. If the change in radius causes the resonance of the relevant mode to coincide with a portion of the beam noise spectrum that is relatively high, the BBU growth will be more severe.

Acknowledgments

This work was supported by the U.S. Department of Energy under Contract No. DEAC03-76SF00098.

References

- [1] Principles of Charged Particle Acceleration, Stanley Humphries Jr., John Wiley & Sons, 1986, ch. 10.
- [2] M. Burns et al., Proc. 9th Int. Conf on High-Power Particle Beams, Wash. DC, May 25-29, 1992, p. 283.
- [3] S. Yu et al., Proc 1995 Particle Accel Conf and Intl. Conf on High Energy Accelerators, May 1-5, 1995, Dallas, Texas, p. 1178.
- [4] E.P. Lee, Particle Accelerators, Vol. 52, 1996, p. 115-132.
- [5] H.C. Kirbie, et al., Proc. 1992 Linear Accelerator Conf. Ottawa, Canada, Aug 24-28, 1992, p. 595.
- [6] G. J. Caporaso and A.G. Cole, Proc. 1990 Linear Accelerator Conf., Albuquerque, N.M., Sept. 10-14, 1990, p. 281.
- [7] J.T. DeFord, et al., Proc. Conf on Computer Codes and Linear Accel Community, Los Alamos, N.M., Jan 25, 1990, p. 265.
- [8] R. J. Briggs et al., Particle Accelerators, 18, 1985, p 41