

FOCUSING SOLENOIDS FOR THE HINS LINAC FRONT END*

I. Terechkin[#], G. Apollinari, J. DiMarco, Y. Huang, D. Orris, T. Page,
R. Rabehl, M. Tartaglia, J. Tompkins, FNAL, Batavia, IL 60510, U.S.A.

Abstract

The low energy part (front end) of a linac for the High Intensity Neutrino Source (HINS) project at Fermilab will use superconducting solenoids as beam focusing elements (lenses). The lenses for the conventional (room temperature) drift tube-type accelerating section of the front end require individual cryostats; in the superconducting accelerating sections, solenoids will be installed inside RF cryomodules. Some of the lenses in the conventional and superconducting section are equipped with horizontal and vertical steering dipoles. Lenses for the room temperature section are in the stage of production with certification activities ongoing at Fermilab, and a prototype lens for the superconducting section has been built and tested. Since each lens will be installed in the transport channel of the accelerator so that its magnetic axis is on the beamline, testing has also included alignment measurements.

This report summarizes design features, parameters, and test results of the focusing lenses.

INTRODUCTION

As part of the High Intensity Neutrino Source (HINS) program at Fermilab, building a high power H⁻ RF linac is under consideration [1]. At present, main R&D efforts are concentrated on development of accelerating and transport elements for the front end of the linac. To reduce beam losses through mitigation of halo formation in the front end (see [2]), superconducting solenoids will be used as focusing lenses [3]. There are three sections of the front end, which are identified by the type of 325 MHz RF structure used for acceleration. The first section uses low-beta, room temperature Crossbar H-type (CH) structures [4]; in this section, each focusing lens is in its own cryostat. For higher energies, superconducting spoke resonators are used with several of them in one cryostat [5]; focusing lenses in these sections are mounted in the same cryostats. There exist two types of superconducting sections in the linac: SS1 and SS2; focusing lenses for these sections differ in strength.

One of the major requirements for focusing lenses in the superconducting sections of the linac is low fringe field. To limit the power loss in walls of accelerating cavities, it is desirable to keep the magnetic field on the walls below 10 μ T [6].

In each section of the linac, two styles of lenses are required: with and without embedded steering dipoles for horizontal and vertical correction of beam position.

A total of 53 focusing lenses will be built for the linac (including spares). Solenoids for the CH section are in the production stage, solenoids for the SS1 section are being prototyped, and design work is ongoing for the SS2 system.

CH SECTION FOCUSING SOLENOID

Focusing length of a solenoid-based focusing lens is given by the following expression:

$$F = \frac{8mU}{q \cdot \int_{-\infty}^{+\infty} B^2 dz}$$

where m is mass, q is charge, and U is the kinetic energy of the particles in the beam. For high intensity ion beams, it is essential to have the focusing period small; this requires high magnetic field, that only can be generated by superconducting systems. Basic requirements for the focusing lens include 20 mm warm bore diameter, the squared magnetic field integral $\int B^2 dz$ of ~ 1.8 T²-m, with an effective length less than 0.1 m (normalized to the maximum magnetic field). Steering dipoles must have an integrated strength of ~ 0.25 T-cm to be able to compensate for uncertainties in the solenoid magnetic axis positioning of ~ 0.3 mm. Due to lack of space in the beamline, the dipoles must be placed inside of some of solenoids. To solve the fringe field problem, each solenoid is made of a main coil and two bucking coils with the direction of magnetic field opposite to that of the main coil. Design of the solenoid is described in [7] and [8]. Several prototypes of the focusing solenoid were tested before serial production started. Magnetic field distribution of a solenoid with embedded steering coils in the central and the fringe area is shown in Fig. 1. Here the measured field is compared to a model prediction; the data points from both sides of the magnet are overlaid. The squared field integral at 200A is 2.5 T²-m, versus the predicted value of 2.4 T²-m. The maximum current in the system (quench condition) is ~ 240 A; the required value of 1.8 T²-m can be achieved at 170 A.

The measured magnetic field in the fringe field region (outside the solenoid) is also very close to the expected. At the nominal current of 170 A, for the solenoids with the embedded steering coils, the magnetic field in the area of the accelerating cavity (~ 150 mm from the solenoid center) is ~ 0.03 T; it is ~ 0.01 T for the solenoids without

*Work supported by the U.S. Department of Energy under contract No. DE-AC02-07CH11359.

[#]terechki@fnal.gov

the steering coils. Additional shielding is needed if the accelerating cavity test shows that this field is too high.




Figure 1: Comparison of measured and predicted axial magnetic field transfer function profiles for CH section solenoid at 200A in the central and fringe regions.

Each steering dipole was made by placing a one-layer winding on the surface of a G-10 cylinder. NbTi 0.8 mm strand was used for both the horizontal and vertical dipole. The steering dipole assembly is placed inside the main coil with the horizontal dipole inside the vertical one; the total radial thickness of the assembly was ~4.8 mm. The magnetic field integral $\int Bdz \approx 1$ T-cm was measured in both steering coils of the first production lens at 200 A. The required integrated strength of 0.25 T-cm is achieved at ~50 A.

Assembled and tested cold masses are to be placed in cryo-vessels at FNAL to form completed focusing lenses (see Fig. 2).




Figure 2: Cross section through CH solenoid cryostat

Description of the cryostat design can be found in [9]. All 19 cryostats in the beamline of CH section will be connected in series mechanically and in parallel cryogenically using a “header” – a pipe that contains LHe and LN2 supply and return lines. The first cryostat has been assembled with the prototype solenoid and tested to show good performance [10].

One of the most important aspects of using the solenoid-based focusing lenses is their alignment in the transport channel. During certification process at FNAL, it was found that positions of the geometric axis and the

magnetic axis of a solenoid can differ by ~0.5 mm. Alignment of the lenses in the linac must be done to place the magnetic axis within ~0.25 mm of the beamline. To ensure this accuracy of alignment, the Single Stretched Wire (SSW) system is used to find the magnetic axis position relative to external fiducials [10]. This measurement is made at different stages: warm solenoid at atmospheric pressure and after pumping out the air, the solenoid cooled to 4.2 K without current, and powered solenoid at different current levels. Several cycles of these measurements were made with the first prototype lens to understand reproducibility of the magnetic axis positioning. Preliminary results show that reproducibility of the alignment is on the order of $\pm 100 \mu\text{m}$.

SS SECTION FOCUSING SOLENOIDS

Main requirements for the SS1 section focusing solenoids are: 30 mm cold bore diameter, integrated focusing strength of $\sim 3 \text{ T}^2\text{-m}$, and effective length less than 0.15 m (normalized to the maximum magnetic field). Each steering dipole must have an integrated strength higher than 0.5 T-cm. From the experience of building and testing CH section lenses, it was clear that a refined design was needed to meet the fringe field requirement. Some help comes from the fact that there is no need for individual cryostats, so the solenoid coil inner diameters could be made smaller. Nevertheless, a new steering coil design was needed to make the assembly “slim” to allow further reduction of the inner diameter of the solenoid. A new coil winding technique was developed that employed 0.3-mm NbTi strand. The reduced radial thickness of the steering dipole assembly was ~2.5 mm including the thickness of the main coil barrel; this made it possible to have identical solenoid geometry for both styles of the solenoid: with and without steering coils. Main design features of the SS-1 focusing solenoid are described in [11]. A prototype lens has been built and tested. Fig. 3 shows a comparison of the measured and predicted fringe field for the solenoid without steering coils [12].




Figure 3: Predicted and measured axial magnetic field in the fringe region at 190A for SS1 prototype solenoid

Expected magnetic field on the walls of the spoke cavities is $\sim 20 \mu\text{T}$, and additional shielding will be needed to bring it to the level below the recommended $10 \mu\text{T}$.

Alignment issues for the lenses in the superconducting sections of the linac are more demanding than they are in the CH section. The lenses will be installed inside RF cryomodule, and special techniques and procedures must be developed to align the lenses and follow the drift of the magnetic axis in time. An approach to solving this problem has been developed (e.g. see [13]), but specifics of the design will require a lot of work to implement a known solution or to find a new one. This part of the solenoid lens R&D is in the initial stage; a prototype cryostat is to be built to address the issue.

Design of the SS2 section focusing solenoid is similar to that of the SS1 solenoid except it is much stronger: the required squared field integral for this solenoid is $5 \text{ T}^2\text{-m}$. As a result, this solenoid stores more energy, and quench protection solution becomes more complicated in comparison with the SS1 and CH systems, that can absorb all the stored energy safely.

SOLENOID QUENCH PROTECTION

Quench training is part of testing performed on each assembled lens. As in each focusing solenoid, a main coil and two (much) smaller bucking coils are connected in series, quenching in one of the bucking coils can result in an unacceptable temperature rise. Protection of focusing solenoids was the subject of several studies (e.g., see [14], [15], and [16]). A proper protection scheme should prevent the temperature and voltage to ground in the coils from going too high: $T_{\text{max}} < 300 \text{ K}$, $V_{\text{max}} < 300 \text{ V}$. Reliability of the protection dictates choosing a simple solution from many possible ones. CH and SS1 focusing solenoids appear to be self-protected; this means that if the energy stored in the system is fully dissipated by the quenching coil, the temperature and the voltage are still below the allowed limits in any part of the coil. Nevertheless, to reduce heat dissipation within LHe bath, we use an external dump resistor, that, if chosen correctly, helps to lower the voltage and temperature spikes. For solenoids of the SS2 section, using a dump resistor alone does not solve the problem. A solution to this problem is still to be found and tested.

SUMMARY

To build a solenoid-based transport system for the front end of the HINS linac under construction at FNAL, a focusing solenoid R&D program has been initiated. The focusing lens design and fabrication technology development efforts within the R&D are close to completion. The CH series of lenses is in production with the final assembly and certification activities taking place at FNAL. Ongoing tests of SS1 prototype lenses will be

followed by production in 2009. Quench protection issues for SS2 lens is under study, and design activities are in progress. A shift in the R&D is now being made towards development of adequate procedures for testing and installation of SS1 and SS2 lenses.

REFERENCES

- [1] R. C. Webber, "Overview of the High Intensity Neutrino Source Linac R&D Program at Fermilab", LINAC08, Victoria, BC, Canada, Sept. 2008.
- [2] Dong-o Jeon, et al "Halo Formation and its Mitigation in the SNS Linac", LINAC 2002, Proceedings, pp. 121 – 123.
- [3] P. Ostroumov, "Physics Design of the 8-GeV H⁻ Linac", New Journal of Physics, 8 (2006) 281.
- [4] L. Ristori, et al, "Design of normal Conducting 325 MHz Crossbar H-Type Resonators at Fermilab", LINAC 2006, Proceedings, pp. 710 – 712.
- [5] G. Apollinari, et al, "Design of 325 MHz Single and Triple Spoke Resonators at FNAL". LINAC 2006, Proceedings, pp. 707 – 709.
- [6] T. Khabiboulline, I. Terechkine, "Superconducting Cavity Magnetic Field Requirements", FNAL TD note TD-08-006, FNAL, 2008.
- [7] G. Davis, et al, "Designing Focusing Solenoids for Superconducting RF Accelerators", IEEE Transactions on Applied Superconductivity, vol. 17, no. 2, pp. 1221 – 1224, June 2007.
- [8] G. Apollinari, et al, "HINS Linac Front End Focusing System R&D", ASC-08, Chicago, 2008, report 4LA02; see also FERMILAB-CONF-08-323-TD.
- [9] T. Page, et al, "High Intensity Neutrino Source Superconducting Solenoid Cryostat Design", Proceedings of CEC-07, Chattanooga, TN, 2007.
- [10] T. Page, et al., "HINS Superconducting Lens and Cryostat Performance", ASC-08, Chicago, 2008, rep. 1LPC06; see also FERMILAB-CONF-08-266-TD.
- [11] G. Davis, et al, "HINS Linac SS-1 Section Prototype Focusing Solenoid Design", FNAL TD note TD-08-010, FNAL, March 2008
- [12] G. Davis, et al, "HINS_SS1_SOL_01 Fabrication Summary and Test Results", FNAL TD note TD-08-012, FNAL, April 2008.
- [13] G. Stanford, et al, "Engineering and Cryogenic Testing of the ISAC-II Medium Beta Cryomodule", LINAC 2004, Proceedings, pp. 630 – 632.
- [14] I. Terechkine, P. Bauer, "Focusing Solenoid Quench Protection Studies; Part 1: Method description and First Iteration", TD-06-003
- [15] I. Terechkine, "CH Section Focusing Solenoid Quench Analysis", TD-06-067
- [16] I. Terechkine, V. Veretennikov, "Normal Zone Propagation in Superconducting Focusing Solenoids and Related Quench Protection Issues", IEEE Transactions on Applied Superconductivity, vol. 18, no. 2, pp. 1325-1328, June, 2008.